



















Category	Product name	Model	Description	Unit	Price	Picture
Portable diver communication system	Single communicator	2841	Built-in 7000mAh lithium battery, with LCD power display, domestic shell, single-layer structure design, easy to carry.	Station	On Request	
	Single communicator	2861C	Double-layer structure design, built-in 12V7Ah lead-acid battery, with independent battery compartment.	Station	On Request	
	Single communicator	2860	Double-layer structure design, built-in 12V7Ah lead-acid battery, with independent battery compartment.	Station	On Request	

	Single communicator	6862	Double-layer structure design, built-in 12V7Ah lead-acid battery, with independent battery compartment. With digital depth meter option.	Station	On Request	
	Single communicator	2861D	Built-in 7000mAh lithium battery, built-in charger. With LCD power display, single-layer structure design, for easy carrying.	Station	On Request	
	Three-diver communicator	HT-6868	Built-in 14000mAh lithium battery with LCD power display. Cross-Talk function. Optional Equipped with Helium speech unscramble.	Station	On Request	

	Two-diver communicator	6867/6869	Built-in 14000mAh lithium battery with LCD power display. Cross-Talk function. Optional Equipped with Helium speech unscramble.	Station	On Request	
	Helium speech unscrambler	HSU	Use DSP technology to restore normal voice.	Unit	On Request	
Communication system (rack mount)	Three-diver communicator	HT-1433	Support AC 220V power supply, Cross-Talk function. Optional Equipped with Helium speech unscramble. 4U rack standard.	Station	On Request	
	Two-diver communicator	HT-1403	Support AC 220V power supply, Cross-Talk function. Optional Equipped with Helium speech unscramble. 4U rack standard.	Station	On Request	
	Two-diver communicator (No frame/shell)	HT-9051D	Built-in 7000mA lithium battery, imported accessories, designed for embedded installation.	Station	On Request	

	Two-diver communicator (No frame/shell)	HT-9053D	Built-in 7000mA lithium battery, imported accessories, designed for embedded installation. Optional Equipped with Helium speech unscramble.	Station	On Request	
Portable underwater video system	SD underwater video recorder	HT-3262	10.4 inch industrial-grade LCD screen built-in diver communicator. Recording to SD card. Include 120m underwater video cable, camera, LED and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	
	HD underwater video system	HT-3595	15.6-inch high-definition industrial-grade screen, high-definition 1000Nit. HD 1080P recording and output. Built-in communicator. Built-in solid state drive. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	
	HD underwater video system	HT-3595C	15.6-inch high-definition industrial-grade screen, high-definition 1000Nit. HD 1080P two-channel video recording and output. Recording to SD card. Built-in communicator. Take pictures remotely. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	

	HD underwater video system	HT-3595K	15.6-inch high-definition industrial-grade screen, high-definition 1000Nit. HD 1080P video recording and output. The recording to a USB flash drive. With video pause, waterproof keyboard character input function. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	
	HD underwater video system	HT-3595K-2	15.6-inch high-definition industrial-grade screen, high-definition 1000Nit. HD 1080P two-channel video recording and output. The recording to a USB flash drive. With video pause, waterproof keyboard character input function. Two channels can be operated independently, with picture-in-picture function. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	
	4K underwater video system	HT-4K01	28-inch 4K screen, four-channel 4K recording and output. Built-in three-diver communicator. Recording to solid state drive. With HDMI output function, network interface. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	

Rack-mounted underwater video system	Rack-mounted underwater video recorder	HT-3595K-E	Rack-mounted, with 15.6-inch high-definition industrial-grade screen 1000Nit. HD 1080P recording and output. Recording to a USB flash drive. Key operation, video pause, waterproof keyboard character entry function. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	
	Rack-mounted underwater video recorder with communicator	HT-3595K-D	Rack-mounted, with 15.6-inch high-definition industrial-grade screen 1000Nit. HD 1080P recording and output. The recording medium is a USB flash drive. Key operation, video pause, waterproof keyboard character entry function. Built-in single communicator. Includes 120-meter underwater video cable, camera, LED light and accessories such as lights and camera mount brackets (Kirby)	Set	On Request	